




# FILTER PLATE



**DEZHOU XUDA FILTRATION CO., LTD.**

Filter the World, Filter the Future!

# CONTENTS

COMPANY PROFILE .....	01	PP15CZ Series Chamber/Recessed Filter Plate .....	15
FILTER PLATE INTRODUCTION .....	03	PP15CZ Series Membrane Filter Plate .....	16
FILTER PLATE TYPES .....	05	PP8GZ Series Chamber/Recessed Filter Plate .....	17
MODEL AND SIGNIFICANCE .....	07	PP8GZ Series Membrane Filter Plate .....	18
FILTER PLATE TECHNICAL PARAMETER .....	08	PP8GZ Series CGR Filter Plate .....	20
PP10CZ Series Chamber/Recessed Filter Plate .....	08	PP8GJ Series Plate & Frame Filter Plate .....	21
PP10CZ Series Membrane Filter Plate .....	10	PP10GZ Series Chamber/Recessed Filter Plate .....	21
PP10CZ Series CGR Filter Plate .....	11	PR10GZ Series Membrane Filter Plate .....	22
PP12CZ Series Chamber/Recessed Filter Plate .....	12	CUSTOMIZED FILTER PLATE .....	23
PP12CZ Series Membrane Filter Plate .....	14	SPARE PARTS .....	24

## COMPANY PROFILE

Xuda Filtration is subordinate to Dezhou Xuda Enviro-Tech Co., Ltd. It is mainly responsible for developing the major consumable spares for the company, such as filter plate, filter cloth and filter paper.


Based on the characteristics of different applications, we have summarized and developed our product series which conforms to the international design and quality standards. At the same time, to meet the product differentiation requirements of high-end clients, we can also customize following their design or process requirements.



## FILTER PLATE INTRODUCTION

Filter Plates are the most important parts of filter press equipment, they are installed on filter press frame one by one and forms many closed chambers. To prolong the service life, we can select different plate materials according to the industry characteristics. While to achieve the best filtration or dewatering performance, we must consider to use different filtration pressure, chamber depth and filtrate discharge way according to our experience or the experiment result.





## FILTER PLATE TYPES

According to the internal structure, we can roughly divide the types of filter plates into:

- |                                   |  |
|-----------------------------------|--|
| 01. Chamber/Recessed Filter Plate | 03. CGR (Caulked and Gasketed Recessed) Filter Plate |
| 02. Membrane Filter Plate         | 04. Plate & Frame Filter Plate                       |

According to the production material, we can roughly divide the types of filter plates into:


- |                         |                                  |
|-------------------------|----------------------------------|
| 01. PP Filter Plate     | 04. Cast Iron Filter Plate       |
| 02. PE Filter Plate     | 05. Stainless Steel Filter Plate |
| 03. Rubber Filter Plate |                                  |



Chamber/Recessed Plate




Welded Membrane Plate



Detachable Membrane Plate

# MODEL AND SIGNIFICANCE

## FILTER PLATE MODEL AND SIGNIFICANCE



# FILTER PLATE TECHNICAL PARAMETER

## PP10CZ Series Chamber/Recessed Filter Plate




PLATE SIZE	PLATE THICKNESS (mm)	CHAMBER DEPTH (mm)	FILTRATION AREA (m <sup>2</sup> )	CHAMBER VOLUME (dm <sup>3</sup> )	WEIGHT (kg)	OPERATION TEMP (°C)	FILTRATION PRESSURE (bar)
250x250	a	2b	A	V	W	T	P
	35	10	0.08	0.4	1.6	0~60	≤ 10
470x470	45	20	0.08	0.8	1.8	0~60	≤ 10
	50	25	0.28	3.5	6.9	0~60	≤ 10
500x500	55	30	0.28	4.2	7.2	0~60	≤ 10
	50	25	0.32	4.0	7.7	0~60	≤ 10
630x630	55	25	0.57	7.1	13.4	0~60	≤ 10
	60	30	0.57	8.6	13.9	0~60	≤ 10
	62	32	0.57	9.1	14.1	0~60	≤ 10
	65	35	0.57	10.0	14.4	0~60	≤ 10


## PP10CZ Series Membrane Filter Plate

PLATE SIZE	PLATE THICKNESS	CHAMBER DEPTH	FILTRATION AREA	CHAMBER VOLUME	WEIGHT	OPERATION TEMP	FILTRATION PRESSURE
	( mm )	( mm )	( m <sup>2</sup> )	( dm <sup>3</sup> )	( kg )	( ° C )	( bar )
	a	2b	A	V	W	T	P
800x800	55	25	0.96	12.0	21.1	0~60	≤ 10
	60	30	0.96	14.4	21.8	0~60	≤ 10
	62	32	0.96	15.4	22.1	0~60	≤ 10
	65	35	0.96	16.8	22.6	0~60	≤ 10
	70	40	0.96	19.2	23.3	0~60	≤ 10
1000x1000	55	25	1.56	19.5	32.3	0~60	≤ 10
	60	30	1.56	23.4	33.3	0~60	≤ 10
	62	32	1.56	25.0	33.7	0~60	≤ 10
	65	35	1.56	27.3	34.3	0~60	≤ 10
	70	40	1.56	31.2	35.3	0~60	≤ 10
1200x1200	57	25	2.27	28.4	48.9	0~60	≤ 10
	62	30	2.27	34.1	50.3	0~60	≤ 10
	64	32	2.27	36.3	50.8	0~60	≤ 10
	67	35	2.27	39.7	51.6	0~60	≤ 10
	72	40	2.27	45.4	53.0	0~60	≤ 10
1250x1250	57	25	2.52	31.5	52.4	0~60	≤ 10
	62	30	2.52	37.8	53.8	0~60	≤ 10
	64	32	2.52	40.3	54.3	0~60	≤ 10
	67	35	2.52	44.1	55.1	0~60	≤ 10
	72	40	2.52	50.4	56.5	0~60	≤ 10
1500x1500	65	25	3.72	46.5	90.8	0~60	≤ 10
	70	30	3.72	55.8	92.5	0~60	≤ 10
	72	32	3.72	59.5	93.3	0~60	≤ 10
	75	35	3.72	65.1	94.3	0~60	≤ 10
	80	40	3.72	74.4	96.1	0~60	≤ 10
1500x2000	70	30	4.90	73.5	124.2	0~60	≤ 10
	72	32	4.90	78.4	125.2	0~60	≤ 10
	75	35	4.90	85.8	126.7	0~60	≤ 10
	80	40	4.90	98.0	129.2	0~60	≤ 10
2000x2000	75	30	6.85	102.8	179.5	0~60	≤ 10
	77	32	6.85	109.6	180.5	0~60	≤ 10
	80	35	6.85	119.9	182.1	0~60	≤ 10
	85	40	6.85	137.0	184.7	0~60	≤ 10
	95	50	6.85	171.3	190.0	0~60	≤ 10
2500x2600	95	45	10.43	234.7	348.4	0~60	≤ 10
	100	50	10.43	260.8	354.2	0~60	≤ 10

PLATE SIZE	PLATE THICKNESS	CHAMBER DEPTH	FILTRATION AREA	CHAMBER VOLUME	WEIGHT	OPERATION TEMP	FILTRATION PRESSURE	SQUEEZING PRESSURE
	( mm )	( mm )	( m <sup>2</sup> )	( dm <sup>3</sup> )	( kg )	( ° C )	( bar )	( bar )
	a	2b	A	V	W	T	P	S
250x250	40	10	0.08	0.4	1.7	0~60	≤ 10	≤ 12
	50	20	0.08	0.8	1.9	0~60	≤ 10	≤ 12
630x630	60	25	0.57	7.1	13.7	0~60	≤ 10	≤ 12
	65	30	0.57	8.6	14.1	0~60	≤ 10	≤ 12
	67	32	0.57	9.1	14.3	0~60	≤ 10	≤ 12
800x800	60	25	0.96	12.0	21.6	0~60	≤ 10	≤ 12
	65	30	0.96	14.4	22.3	0~60	≤ 10	≤ 12
	67	32	0.96	15.4	22.6	0~60	≤ 10	≤ 12
1000x1000	60	25	1.56	19.5	33.2	0~60	≤ 10	≤ 12
	65	30	1.56	23.4	34.1	0~60	≤ 10	≤ 12
	67	32	1.56	25.0	34.5	0~60	≤ 10	≤ 12
1200x1200	60	25	2.27	28.4	51.1	0~60	≤ 10	≤ 12
	68	30	2.27	34.1	52.4	0~60	≤ 10	≤ 12
	70	32	2.27	36.3	52.9	0~60	≤ 10	≤ 12
1250x1250	63	25	2.52	31.5	54.9	0~60	≤ 10	≤ 12
	68	30	2.52	37.8	56.1	0~60	≤ 10	≤ 12
	70	32	2.52	40.3	56.6	0~60	≤ 10	≤ 12
1500x1500	70	25	3.72	46.5	91.0	0~60	≤ 10	≤ 12
	75	30	3.72	55.8	92.6	0~60	≤ 10	≤ 12
	77	32	3.72	59.5	93.3	0~60	≤ 10	≤ 12
1500x2000	75	30	4.90	73.5	124.2	0~60	≤ 10	≤ 12
	77	32	4.90	78.4	125.1	0~60	≤ 10	≤ 12
	80	35	4.90	85.8	126.5	0~60	≤ 10	≤ 12



PLATE SIZE	PLATE THICKNESS	CHAMBER DEPTH	FILTRATION AREA	CHAMBER VOLUME	WEIGHT	OPERATION TEMP	FILTRATION PRESSURE	SQUEEZING PRESSURE
	( mm )	( mm )	( m <sup>2</sup> )	( dm <sup>3</sup> )	( kg )	( ° C )	( bar )	( bar )
2000x2000	80	30	6.85	102.8	178.1	0~60	≤ 10	≤ 12
	82	32	6.85	109.6	179.1	0~60	≤ 10	≤ 12
	85	35	6.85	119.9	180.5	0~60	≤ 10	≤ 12
	90	40	6.85	137.0	182.9	0~60	≤ 10	≤ 12
	100	50	6.85	171.3	187.6	0~60	≤ 10	≤ 12
2500x2600	105	45	10.43	234.7	367.2	0~60	≤ 10	≤ 12
	110	50	10.43	260.8	372.5	0~60	≤ 10	≤ 12




### PP10CZ Series CGR Filter Plate

PLATE SIZE	PLATE THICKNESS	CHAMBER DEPTH	FILTRATION AREA	CHAMBER VOLUME	WEIGHT	OPERATION TEMP	FILTRATION PRESSURE
	( mm )	( mm )	( m <sup>2</sup> )	( dm <sup>3</sup> )	( kg )	( ° C )	( bar )
	a	2b	A	V	w	T	P
470x470	50	25	0.28	3.5	6.9	0~60	≤ 10
	55	30	0.28	4.2	7.2	0~60	≤ 10
630x630	55	25	0.49	6.1	14.3	0~60	≤ 10
	60	30	0.49	7.4	15.0	0~60	≤ 10
	62	32	0.49	7.8	15.3	0~60	≤ 10
800x800	65	35	0.49	8.6	15.7	0~60	≤ 10
	55	25	0.89	11.1	21.9	0~60	≤ 10
	60	30	0.89	13.4	22.8	0~60	≤ 10
	62	32	0.89	14.2	23.2	0~60	≤ 10
1000x1000	65	35	0.89	15.6	23.7	0~60	≤ 10
	70	40	0.89	17.8	24.6	0~60	≤ 10
	55	25	1.46	18.3	33.4	0~60	≤ 10
	60	30	1.46	21.9	34.7	0~60	≤ 10
	62	32	1.46	23.4	35.2	0~60	≤ 10
	65	35	1.46	25.6	35.9	0~60	≤ 10
	70	40	1.46	29.2	37.1	0~60	≤ 10

PLATE SIZE	PLATE THICKNESS	CHAMBER DEPTH	FILTRATION AREA	CHAMBER VOLUME	WEIGHT	OPERATION TEMP	FILTRATION PRESSURE
	( mm )	( mm )	( m <sup>2</sup> )	( dm <sup>3</sup> )	( kg )	( ° C )	( bar )
1200x1200	57	25	2.21	27.6	49.6	0~60	≤ 10
	62	30	2.21	33.2	51.1	0~60	≤ 10
	64	32	2.21	35.4	51.7	0~60	≤ 10
	67	35	2.21	38.7	52.6	0~60	≤ 10
	72	40	2.21	44.2	54.1	0~60	≤ 10
1500x1500	65	25	3.58	44.8	92.4	0~60	≤ 10
	70	30	3.58	53.7	94.5	0~60	≤ 10
	72	32	3.58	57.3	95.3	0~60	≤ 10
	75	35	3.58	62.7	96.6	0~60	≤ 10
	80	40	3.58	71.6	98.6	0~60	≤ 10



### PP12CZ Series Chamber/Recessed Filter Plate






## PP12CZ Series Membrane Filter Plate

PLATE SIZE	PLATE THICKNESS (mm)	CHAMBER DEPTH (mm)	FILTRATION AREA (m <sup>2</sup> )	CHAMBER VOLUME (dm <sup>3</sup> )	WEIGHT (kg)	OPERATION TEMP (°C)	FILTRATION PRESSURE (bar)
	a	2b	A	V	W	T	P
470x470	53	25	0.28	3.5	7.5	0~60	≤ 12
	58	30	0.28	4.2	7.8	0~60	≤ 12
500x500	53	25	0.32	4.0	8.4	0~60	≤ 12
	58	30	0.32	4.8	8.8	0~60	≤ 12
630x630	58	25	0.57	7.1	14.5	0~60	≤ 12
	63	30	0.57	8.6	15.0	0~60	≤ 12
	65	32	0.57	9.1	15.2	0~60	≤ 12
800x800	58	25	0.96	12.0	22.9	0~60	≤ 12
	63	30	0.96	14.4	23.6	0~60	≤ 12
	65	32	0.96	15.4	23.9	0~60	≤ 12
	68	35	0.96	16.8	24.3	0~60	≤ 12
1000x1000	58	25	1.56	19.5	35.0	0~60	≤ 12
	63	30	1.56	23.4	36.0	0~60	≤ 12
	65	32	1.56	25.0	36.4	0~60	≤ 12
	68	35	1.56	27.3	37.0	0~60	≤ 12
1200x1200	60	25	2.27	28.4	52.8	0~60	≤ 12
	65	30	2.27	34.1	54.2	0~60	≤ 12
	67	32	2.27	36.3	54.7	0~60	≤ 12
	70	35	2.27	39.7	55.6	0~60	≤ 12
1250x1250	60	25	2.52	31.5	56.6	0~60	≤ 12
	65	30	2.52	37.8	58.0	0~60	≤ 12
	67	32	2.52	40.3	58.6	0~60	≤ 12
	70	35	2.52	44.1	59.4	0~60	≤ 12
1500x1500	68	25	3.72	46.5	96.9	0~60	≤ 12
	73	30	3.72	55.8	98.7	0~60	≤ 12
	75	32	3.72	59.5	99.4	0~60	≤ 12
	78	35	3.72	65.1	100.5	0~60	≤ 12
1500x2000	73	30	4.90	73.5	132.4	0~60	≤ 12
	75	32	4.90	78.4	133.4	0~60	≤ 12
	78	35	4.90	85.8	134.9	0~60	≤ 12
2000x2000	78	30	6.85	102.8	190.4	0~60	≤ 12
	80	32	6.85	109.6	191.5	0~60	≤ 12
	83	35	6.85	119.9	193.0	0~60	≤ 12

PLATE SIZE	PLATE THICKNESS (mm)	CHAMBER DEPTH (mm)	FILTRATION AREA (m <sup>2</sup> )	CHAMBER VOLUME (dm <sup>3</sup> )	WEIGHT (kg)	OPERATION TEMP (°C)	FILTRATION PRESSURE (bar)	SQUEEZING PRESSURE (bar)
	a	2b	A	V	W	T	P	S
630x630	63	25	0.57	7.1	14.7	0~60	≤ 12	≤ 15
	68	30	0.57	8.6	15.1	0~60	≤ 12	≤ 15
	70	32	0.57	9.1	15.3	0~60	≤ 12	≤ 15
800x800	63	25	0.96	12.0	23.2	0~60	≤ 12	≤ 15
	68	30	0.96	14.4	23.9	0~60	≤ 12	≤ 15
	70	32	0.96	15.4	24.1	0~60	≤ 12	≤ 15
	73	35	0.96	16.8	24.5	0~60	≤ 12	≤ 15
1000x1000	63	25	1.56	19.5	35.7	0~60	≤ 12	≤ 15
	68	30	1.56	23.4	36.6	0~60	≤ 12	≤ 15
	70	32	1.56	25.0	36.9	0~60	≤ 12	≤ 15
	73	35	1.56	27.3	37.5	0~60	≤ 12	≤ 15
1200x1200	66	25	2.27	28.4	54.7	0~60	≤ 12	≤ 15
	71	30	2.27	34.1	55.9	0~60	≤ 12	≤ 15
	73	32	2.27	36.3	56.4	0~60	≤ 12	≤ 15
	76	35	2.27	39.7	57.2	0~60	≤ 12	≤ 15
1250x1250	66	25	2.52	31.5	58.7	0~60	≤ 12	≤ 15
	71	30	2.52	37.8	60.0	0~60	≤ 12	≤ 15
	73	32	2.52	40.3	60.5	0~60	≤ 12	≤ 15
	76	35	2.52	44.1	61.2	0~60	≤ 12	≤ 15
1500x1500	73	25	3.72	46.5	96.6	0~60	≤ 12	≤ 15
	78	30	3.72	55.8	98.2	0~60	≤ 12	≤ 15
	80	32	3.72	59.5	98.8	0~60	≤ 12	≤ 15
	83	35	3.72	65.1	99.8	0~60	≤ 12	≤ 15
1500x2000	78	30	4.90	73.5	131.6	0~60	≤ 10	≤ 15
	80	32	4.90	78.4	132.5	0~60	≤ 10	≤ 15
	83	35	4.90	85.8	133.9	0~60	≤ 10	≤ 15
2000x2000	83	30	6.85	102.8	188.0	0~60	≤ 12	≤ 15
	85	32	6.85	109.6	188.9	0~60	≤ 12	≤ 15
	88	35	6.85	119.9	190.3	0~60	≤ 12	≤ 15



## PP15CZ Series Chamber/Recessed Filter Plate




PLATE SIZE	PLATE THICKNESS (mm)	CHAMBER DEPTH (mm)	FILTRATION AREA (m <sup>2</sup> )	CHAMBER VOLUME (dm <sup>3</sup> )	WEIGHT (kg)	OPERATION TEMP (°C)	FILTRATION PRESSURE (bar)
	a	2b	A	V	W	T	P
800x800	63	25	0.96	12.0	25.8	0~60	≤ 15
	68	30	0.96	14.4	26.5	0~60	≤ 15
	70	32	0.96	15.4	26.8	0~60	≤ 15
1000x1000	63	25	1.56	19.5	39.6	0~60	≤ 15
	68	30	1.56	23.4	40.6	0~60	≤ 15
	70	32	1.56	25.0	41.0	0~60	≤ 15
1200x1200	65	25	2.27	28.4	59.4	0~60	≤ 15
	70	30	2.27	34.1	60.7	0~60	≤ 15
	72	32	2.27	36.3	61.3	0~60	≤ 15
1250x1250	65	25	2.52	31.5	63.8	0~60	≤ 15
	70	30	2.52	37.8	65.1	0~60	≤ 15
	72	32	2.52	40.3	65.7	0~60	≤ 15
1500x1500	73	25	3.72	46.5	107.2	0~60	≤ 15
	78	30	3.72	55.8	108.9	0~60	≤ 15
	80	32	3.72	59.5	109.6	0~60	≤ 15
1500x2000	78	30	4.90	73.5	146.1	0~60	≤ 15
	80	32	4.90	78.4	147.1	0~60	≤ 15
2000x2000	83	30	6.85	102.8	208.6	0~60	≤ 15
	85	32	6.85	109.6	209.7	0~60	≤ 15

## PP15CZ Series Membrane Filter Plate

PLATE SIZE	PLATE THICKNESS (mm)	CHAMBER DEPTH (mm)	FILTRATION AREA (m <sup>2</sup> )	CHAMBER VOLUME (dm <sup>3</sup> )	WEIGHT (kg)	OPERATION TEMP (°C)	FILTRATION PRESSURE (bar)	SQUEEZING PRESSURE (bar)
	a	2b	A	V	W	T	P	S
800x800	68	25	0.96	12.0	25.8	0~60	≤ 15	≤ 20
	73	30	0.96	14.4	26.5	0~60	≤ 15	≤ 20
	75	32	0.96	15.4	26.8	0~60	≤ 15	≤ 20
1000x1000	68	25	1.56	19.5	39.8	0~60	≤ 15	≤ 20
	73	30	1.56	23.4	40.7	0~60	≤ 15	≤ 20
	75	32	1.56	25.0	41.0	0~60	≤ 15	≤ 20
1200x1200	71	25	2.27	28.4	60.6	0~60	≤ 15	≤ 20
	76	30	2.27	34.1	61.8	0~60	≤ 15	≤ 20
	78	32	2.27	36.3	62.3	0~60	≤ 15	≤ 20
1250x1250	71	25	2.52	31.5	65.1	0~60	≤ 15	≤ 20
	76	30	2.52	37.8	66.4	0~60	≤ 15	≤ 20
	78	32	2.52	40.3	66.9	0~60	≤ 15	≤ 20
1500x1500	78	25	3.72	46.5	105.8	0~60	≤ 15	≤ 20
	83	30	3.72	55.8	107.4	0~60	≤ 15	≤ 20
	85	32	3.72	59.5	108.0	0~60	≤ 15	≤ 20
1500x2000	83	30	4.90	73.5	143.9	0~60	≤ 15	≤ 20
	85	32	4.90	78.4	144.8	0~60	≤ 15	≤ 20
2000x2000	88	30	6.85	102.8	204.4	0~60	≤ 15	≤ 20
	90	32	6.85	109.6	205.3	0~60	≤ 15	≤ 20





# PP8GZ

## Series Chamber/Recessed Filter Plate




PLATE SIZE	PLATE THICKNESS (mm)	CHAMBER DEPTH (mm)	FILTRATION AREA (m <sup>2</sup> )	CHAMBER VOLUME (dm <sup>3</sup> )	WEIGHT (kg)	OPERATION TEMP (°C)	FILTRATION PRESSURE (bar)
	a	2b	A	V	W	T	P
630x630	60	25	0.57	7.1	15.2	60~95	≤ 8
	65	30	0.57	8.6	15.7	60~95	≤ 8
	67	32	0.57	9.1	15.9	60~95	≤ 8
800x800	60	25	0.96	12.0	24.0	60~95	≤ 8
	65	30	0.96	14.4	24.8	60~95	≤ 8
	67	32	0.96	15.4	25.0	60~95	≤ 8
	70	35	0.96	16.8	25.5	60~95	≤ 8
1000x1000	75	40	0.96	19.2	26.2	60~95	≤ 8
	60	25	1.56	19.5	36.9	60~95	≤ 8
	65	30	1.56	23.4	37.9	60~95	≤ 8
	67	32	1.56	25.0	38.3	60~95	≤ 8
	70	35	1.56	27.3	38.9	60~95	≤ 8
1200x1200	75	40	1.56	31.2	39.9	60~95	≤ 8
	62	25	2.27	28.4	55.4	60~95	≤ 8
	67	30	2.27	34.1	56.8	60~95	≤ 8
	69	32	2.27	36.3	57.4	60~95	≤ 8
	72	35	2.27	39.7	58.2	60~95	≤ 8
	77	40	2.27	45.4	59.6	60~95	≤ 8

PLATE SIZE	PLATE THICKNESS (mm)	CHAMBER DEPTH (mm)	FILTRATION AREA (m <sup>2</sup> )	CHAMBER VOLUME (dm <sup>3</sup> )	WEIGHT (kg)	OPERATION TEMP (°C)	FILTRATION PRESSURE (bar)
	a	2b	A	V	W	T	P
1250x1250	62	25	2.52	31.5	59.5	60~95	≤ 8
	67	30	2.52	37.8	60.9	60~95	≤ 8
	69	32	2.52	40.3	61.4	60~95	≤ 8
	72	35	2.52	44.1	62.2	60~95	≤ 8
	77	40	2.52	50.4	63.6	60~95	≤ 8
1500x1500	70	25	3.72	46.5	101.0	60~95	≤ 8
	75	30	3.72	55.8	102.8	60~95	≤ 8
	77	32	3.72	59.5	103.5	60~95	≤ 8
	80	35	3.72	65.1	104.6	60~95	≤ 8
1500x2000	85	40	3.72	74.4	106.3	60~95	≤ 8
	75	30	4.90	73.5	137.9	60~95	≤ 8
	77	32	4.90	78.4	138.9	60~95	≤ 8
2000x2000	80	35	4.90	85.8	140.4	60~95	≤ 8
	85	40	4.90	98.0	142.9	60~95	≤ 8
	80	30	6.85	102.8	197.7	60~95	≤ 8
2500x2600	82	32	6.85	109.6	198.7	60~95	≤ 8
	85	35	6.85	119.9	200.3	60~95	≤ 8
	90	40	6.85	137.0	202.9	60~95	≤ 8
	100	50	6.85	171.3	208.2	60~95	≤ 8
	100	45	10.43	234.7	377.9	60~95	≤ 8

# PP8GZ

## Series Membrane Filter Plate


PLATE SIZE	PLATE THICKNESS (mm)	CHAMBER DEPTH (mm)	FILTRATION AREA (m <sup>2</sup> )	CHAMBER VOLUME (dm <sup>3</sup> )	WEIGHT (kg)	OPERATION TEMP (°C)	FILTRATION PRESSURE (bar)	SQUEEZING PRESSURE (bar)
	a	2b	A	V	W	T	P	S
630x630	65	25	0.57	7.1	15.3	60~95	≤ 8	≤ 10
	70	30	0.57	8.6	15.8	60~95	≤ 8	≤ 10
	72	32	0.57	9.1	16.0	60~95	≤ 8	≤ 10
800x800	65	25	0.96	12.0	24.3	60~95	≤ 8	≤ 10
	70	30	0.96	14.4	24.9	60~95	≤ 8	≤ 10
	72	32	0.96	15.4	25.2	60~95	≤ 8	≤ 10
	75	35	0.96	16.8	25.6	60~95	≤ 8	≤ 10
	80	40	0.96	19.2	26.2	60~95	≤ 8	≤ 10

PLATE SIZE	PLATE THICKNESS	CHAMBER DEPTH	FILTRATION AREA	CHAMBER VOLUME	WEIGHT	OPERATION TEMP	FILTRATION PRESSURE	SQUEEZING PRESSURE
	( mm )	( mm )	( m <sup>2</sup> )	( dm <sup>3</sup> )	( kg )	( ° C )	( bar )	( bar )
	a	2b	A	V	W	T	P	S
1000x1000	65	25	1.56	19.5	37.3	60~95	≤ 8	≤ 10
	70	30	1.56	23.4	38.2	60~95	≤ 8	≤ 10
	72	32	1.56	25.0	38.6	60~95	≤ 8	≤ 10
	75	35	1.56	27.3	39.1	60~95	≤ 8	≤ 10
	80	40	1.56	31.2	40.0	60~95	≤ 8	≤ 10
1200x1200	68	25	2.27	28.4	57.0	60~95	≤ 8	≤ 10
	73	30	2.27	34.1	58.3	60~95	≤ 8	≤ 10
	75	32	2.27	36.3	58.8	60~95	≤ 8	≤ 10
	78	35	2.27	39.7	59.5	60~95	≤ 8	≤ 10
	83	40	2.27	45.4	60.8	60~95	≤ 8	≤ 10
1250x1250	68	25	2.52	31.5	61.3	60~95	≤ 8	≤ 10
	73	30	2.52	37.8	62.5	60~95	≤ 8	≤ 10
	75	32	2.52	40.3	63.0	60~95	≤ 8	≤ 10
	78	35	2.52	44.1	63.8	60~95	≤ 8	≤ 10
	83	40	2.52	50.4	65.0	60~95	≤ 8	≤ 10
1500x1500	75	25	3.72	46.5	100.2	60~95	≤ 8	≤ 10
	80	30	3.72	55.8	101.8	60~95	≤ 8	≤ 10
	82	32	3.72	59.5	102.5	60~95	≤ 8	≤ 10
	85	35	3.72	65.1	103.4	60~95	≤ 8	≤ 10
	90	40	3.72	74.4	105.0	60~95	≤ 8	≤ 10
1500x2000	80	30	4.90	73.5	136.5	60~95	≤ 8	≤ 10
	82	32	4.90	78.4	137.4	60~95	≤ 8	≤ 10
	85	35	4.90	85.8	138.8	60~95	≤ 8	≤ 10
	90	40	4.90	98.0	141.0	60~95	≤ 8	≤ 10
2000x2000	85	30	6.85	102.8	194.5	60~95	≤ 8	≤ 10
	87	32	6.85	109.6	195.5	60~95	≤ 8	≤ 10
	90	35	6.85	119.9	196.9	60~95	≤ 8	≤ 10
	95	40	6.85	137.0	199.3	60~95	≤ 8	≤ 10
	105	50	6.85	171.3	204.0	60~95	≤ 8	≤ 10
2500x2600	110	45	10.43	234.7	393.9	60~95	≤ 8	≤ 10



## PP8GZ Series CGR Filter Plate


PLATE SIZE	PLATE THICKNESS	CHAMBER DEPTH	FILTRATION AREA	CHAMBER VOLUME	WEIGHT	OPERATION TEMP	FILTRATION PRESSURE
	( mm )	( mm )	( m <sup>2</sup> )	( dm <sup>3</sup> )	( kg )	( ° C )	( bar )
	a	2b	A	V	W	T	P
630x630	60	25	0.49	6.1	16.1	60~95	≤ 8
	65	30	0.49	7.4	16.8	60~95	≤ 8
	67	32	0.49	7.8	17.1	60~95	≤ 8
800x800	60	25	0.89	11.1	24.8	60~95	≤ 8
	65	30	0.89	13.4	25.7	60~95	≤ 8
	67	32	0.89	14.2	26.1	60~95	≤ 8
	70	35	0.89	15.6	26.6	60~95	≤ 8
	75	40	0.89	17.8	27.5	60~95	≤ 8
1000x1000	60	25	1.46	18.3	38.0	60~95	≤ 8
	65	30	1.46	21.9	39.2	60~95	≤ 8
	67	32	1.46	23.4	39.7	60~95	≤ 8
	70	35	1.46	25.6	40.4	60~95	≤ 8
	75	40	1.46	29.2	41.7	60~95	≤ 8
1200x1200	62	25	2.21	27.6	56.1	60~95	≤ 8
	67	30	2.21	33.2	57.6	60~95	≤ 8
	69	32	2.21	35.4	58.2	60~95	≤ 8
	72	35	2.21	38.7	59.2	60~95	≤ 8
	77	40	2.21	44.2	60.7	60~95	≤ 8
1500x1500	70	25	3.58	44.8	102.6	60~95	≤ 8
	75	30	3.58	53.7	104.7	60~95	≤ 8
	77	32	3.58	57.3	105.5	60~95	≤ 8
	80	35	3.58	62.7	106.8	60~95	≤ 8
	85	40	3.58	71.6	108.9	60~95	≤ 8





## PP8GJ Series Plate & Frame Filter Plate

PLATE SIZE	PLATE THICKNESS (mm)	CHAMBER DEPTH (mm)	FILTRATION AREA (m <sup>2</sup> )	CHAMBER VOLUME (dm <sup>3</sup> )	WEIGHT (kg)	OPERATION TEMP (°C)	FILTRATION PRESSURE (bar)
	a	b	A	V	w	T	P
500x500	30/25	25	0.32	4.0	6.8/2.0	60~95	≤ 8
	30/30	30	0.32	4.8	6.8/2.5	60~95	≤ 8
720x720	35/30	30	0.77	11.6	16.5/3.6	60~95	≤ 8
	35/32	32	0.77	12.3	16.5/3.9	60~95	≤ 8
800x800	35/30	30	0.97	14.6	20.4/4.4	60~95	≤ 8
	35/32	32	0.97	15.5	20.4/4.7	60~95	≤ 8
1000x1000	40/30	30	1.58	23.7	36.4/6.0	60~95	≤ 8
	40/35	35	1.58	27.7	36.4/7.0	60~95	≤ 8
1250x1250	40/30	30	2.57	38.6	56.9/8.3	60~95	≤ 8
	40/35	35	2.57	45.0	56.9/9.6	60~95	≤ 8



## PP10GZ Series Chamber/Recessed Filter Plate




PLATE SIZE	PLATE THICKNESS (mm)	CHAMBER DEPTH (mm)	FILTRATION AREA (m <sup>2</sup> )	CHAMBER VOLUME (dm <sup>3</sup> )	WEIGHT (kg)	OPERATION TEMP (°C)	FILTRATION PRESSURE (bar)
	a	2b	A	V	W	T	P
800x800	50	20	0.92	9.2	20.7	0~95	≤ 10
	60	30	0.92	13.8	22.4	0~95	≤ 10
	70	40	0.92	18.4	24.0	0~95	≤ 10
1000x1000	50	20	1.47	14.7	32.1	0~95	≤ 10
	60	30	1.47	22.1	34.5	0~95	≤ 10
1500x1500	58	20	3.63	36.3	85.7	0~95	≤ 10
	68	30	3.63	54.5	89.7	0~95	≤ 10
	78	40	3.63	72.6	93.6	0~95	≤ 10
2000x2000	78	30	6.67	100.1	192.9	0~95	≤ 10
	88	40	6.67	133.4	198.9	0~95	≤ 10
	98	50	6.67	166.8	205.0	0~95	≤ 10

## PR10GZ Series Membrane Filter Plate

PLATE SIZE	PLATE THICKNESS (mm)	CHAMBER DEPTH (mm)	FILTRATION AREA (m <sup>2</sup> )	CHAMBER VOLUME (dm <sup>3</sup> )	WEIGHT (kg)	OPERATION TEMP (°C)	FILTRATION PRESSURE (bar)	SQUEEZING PRESSURE (bar)
	a	2b	A	V	W	T	P	S
800x800	65	30	0.92	13.8	25.6	0~95	≤ 10	≤ 15
	75	40	0.92	18.4	27.2	0~95	≤ 10	≤ 15
1000x1000	65	30	1.47	22.1	39.5	0~95	≤ 10	≤ 15
	75	40	1.47	29.4	42.0	0~95	≤ 10	≤ 15
1500x1500	74	30	3.63	54.5	103.1	0~95	≤ 10	≤ 15
	84	40	3.63	72.6	107.1	0~95	≤ 10	≤ 15
2000x2000	95	30	6.67	100.1	257.6	0~95	≤ 10	≤ 15
	105	40	6.67	133.4	263.7	0~95	≤ 10	≤ 15





# CUSTOMIZED FILTER PLATE

# SPARE PARTS




## Plate Handle



## Water Nozzle







## **DEZHOU XUDA FILTRATION CO., LTD.**

Middle Dexin Road, Tianqu Industrial Park, Decheng District,  
Dezhou, Shandong P.R. China

Post Code: 253000

Tel: +86-534-2369766

Fax: +86-534-2392966

Email: [inquiry@xudaenviro-tech.com](mailto:inquiry@xudaenviro-tech.com)

Web: [www.xudafiltration.com](http://www.xudafiltration.com)

**Represented by:**

